




FERRETERRO

EXXTREME SLINGS

All goods above 40 tons upto 300 tons come under Extreme heavy category. These Mammoth goods act differently and need special care to be lifted. These precious goods need nothing less than Ferreterro Exxtreme Slings.



FLAT MULTI PLY		WLL in Kg with one webbing sling				WLL in Kg with two webbing sling				
		Straight Lift	Choker Hitch	Basket	Basket inclination angle		straight inclination angle		choke inclination angle	
		1.0	0.8	2.0	1.4	1.0	1.4	1.0	1.12	0.8
Width	Color									
300mm	Orange	36000	28800	72000	50400	36000	100800	36000	40320	32256
300mm	Orange	48000	38400	96000	67200	48000	134400	48000	53760	43008
300mm	Orange	50000	40000	100000	70000	50000	140000	50000	56000	44800
300mm	Orange	60000	48000	120000	84000	60000	168000	60000	67200	53760
300mm	Orange	72000	57600	144000	100800	72000	201600	72000	80640	64512
300mm	Orange	84000	67200	168000	117600	84000	235200	84000	94080	75264

All slings above 48 tons are flat eyed and are meant for spreader beams with flat eye arrangements.



www.ferreterro.com

ROUND SLINGS



All Round slings come with Overload Indicator and Optical fiber without any charges. We manufacture worlds strongest sling of DYNEEMA. We also offer Twin Slings, Eye and Eye Round Slings and manufacture Anti Abrasive, Anti Cut, Velcro type sleeves for different applications, for all slings.

Color	WLL in Kg with one Round					WLL in Kg with two round slings			
	Straight Lift	Choker Hitch	Basket	Basket inclination angle		straight inclination angle		choke inclination angle	
	1.0	0.8	2.0	1.4	1.0	1.4	1.0	1.12	0.8
Orange	36000	28800	72000	50400	36000	100800	36000	40320	32256
Orange	40000	32000	80000	56000	48000	112000	48000	44800	35840
Orange	48000	38400	96000	67200	50000	134400	50000	53760	43008
Orange	50000	40000	100000	70000	60000	140000	60000	56000	44800
Orange	70000	56000	140000	98000	72000	196000	72000	78400	62720
Orange	75000	60000	150000	105000	84000	210000	84000	84000	67200
Orange	80000	64000	160000	112000	80000	224000	80000	89600	71680
Orange	100000	80000	200000	140000	100000	280000	100000	112000	89600
Orange	125000	100000	250000	175000	125000	350000	125000	140000	112000
Orange	150000	120000	300000	210000	150000	420000	150000	168000	134400
Orange	200000	160000	400000	280000	200000	560000	200000	224000	179200
Orange	250000	200000	500000	350000	250000	700000	250000	280000	224000
Orange	300000	240000	600000	420000	300000	840000	300000	336000	268800



Manufactured by : *

Ferreterro India Pvt. Ltd.

A-40, Sector-83, Noida (India)

Phone : 0120-4753000, Fax : 0120-4753022,

E-mail : info@ferreterro.com,

Web : www.ferreterro.com



RATCHET LASHING



The Ratchet lashing is a robust tension system for light & heavy lorries, trailers trucks & aircrafts. The systems overall breaking strength varies from 1 ton to 10 tons and are available in various end fittings as per requirement. All our Ratchet lashing confirm to EN12195-2 standards.



25mm width B/S 1-2 tons



35mm width B/S 3 tons



50mm width B/S 5 tons



75mm width B/S 10 tons



END FITTINGS



Webbing Slings

SAFETY FACTOR 7 : 1




D u p l e x S l i n g

Factor	Width (mm)	WLL in kg with one webbing sling					WLL in kg with two webbing sling			
		straight lift	choke hitch	basket inclination angle			straight inclination angle		choke inclination angle	
		1,0	0,8	up to 7	7-45	45-60	7-45	45-60	7-45	45-60
		1,0	0,8	2,0	1,4	1,0	1,4	1,0	1,12	0,8
1,000 kg.	violet 25,50	1,000	800	2,000	1,400	1,000	1,400	1,000	1,120	800
2,000 kg.	green 50	2,000	1,600	4,000	2,800	2,000	2,800	2,000	2,240	1,600
3,000 kg.	yellow 75	3,000	2,400	6,000	4,200	3,000	4,200	3,000	3,360	2,400
4,000 kg.	black 100	4,000	3,200	8,000	5,600	4,000	5,600	4,000	4,480	3,200
5,000 kg.	red 125	5,000	4,000	10,000	7,000	5,000	7,000	5,000	5,600	4,000
6,000 kg.	brown 150	6,000	4,800	12,000	8,400	6,000	8,400	6,000	6,720	4,800
8,000 kg.	blue 200	8,000	6,400	16,000	11,200	8,000	11,200	8,000	8,960	6,400
10,000 kg.	orange 250	10,000	8,000	20,000	14,000	10,000	14,000	10,000	11,200	8,000
12,000 kg.	orange 300	12,000	9,600	24,000	16,800	12,000	16,800	12,000	13,440	9,600

S i n g l e P l y S l i n g s

Factor	Width (mm)	1,000	800	2,000	1,400	1,000	1,400	1,000	1,200	800
1,000	violet 50	1,000	800	2,000	1,400	1,000	1,400	1,000	1,200	800
1,500	white 75	1,500	1,200	3,000	2,100	1,500	1,680	1,200	1,680	1,200
2,000	green 100	2,000	1,600	4,000	2,800	2,000	2,800	2,800	2,240	2,240

All our Slings Confirm to EN 1492-1 Standards



K. Surendran
Branch Manager
Mobile : 9841346306

JHALANI TOOLS

43, Muthumari Chetty Street, Chennai -
Telefax : 25224423 Phone : 420539
E-mail : jhalanitoolschennai@rediffmail.co
jhalanitoolschennai@gmail.co



JHALANI

Corporate Office:
"GEDORE HOUSE" 51-52, Nehru Place
P.O. Box - 4315, New Delhi - 110 01
Tel : 011 - 65854225 Fax : 011 - 416066
E-mail : jhalanitools@rediffmail.co




L i f t i n g a n d L a s h i n g



The Leading manufacturer
of load restraint systems

ISO 9001-2000 Certified
ISO 14000 Certified

QUALITY TESTING SYSTEMS



Quality Policy

To provide quality products & value for money in segment of market/customers, we cater to, We are & will continue to be a Customer oriented organisation, Accommodating Customer request & addressing their complaint with minimum ado based on principal of trust & process/systems, with a view to ensure total customer delight.

We will continually improve our systems, processes & methods of delivery.




SMR is accredited
by JAS-ANZ



ISO 9001:2000
Registered by SMR

- Cargo Lashings:** 25mm, 35mm, 50mm, 75mm Ratchet assemblies.
- Lifting Slings:** 35mm, 50mm, 75mm till 100mm all available in duplex, triplex and quadruple and all Round slings.
- Internal container storage:** Cam buckle assemblies (25mm and 50mm) Cargo Sta Bars (Steel, Aluminum, Spring loaded) Shoring Poles (Steel, Aluminum, Stainless steel) Cargo Planks (Aluminum with cushioned End clamps)
- Air Cargo straps:** Webbing lashings and Cam buckle assemblies.
- One way lashings:** Forged One way Buckles, Sheet Pressed in all dimensions.
- Winch straps:** All sizes stitched with Flat hooks with defender.
- Corner Protectors:** Steel, Re-inforced plastic.
- Vehicle recovery straps, Tow straps.**
- Safety Harness**
- Steel Castings:** In house shell core precision castings.
- Forgings:** High quality load bearing forged products, Rings, Buckles, Connectors.
- End fittings:** Wire J Hooks, Claw hooks, S hooks, Forged details, Chain links Snap hooks, Twisted snap hooks, Anchor plate, Three bar slider, Over center Buckles, Close rave Hooks, Cam Buckles, E-Fittings and all type of end fittings for lashings.





Ferretterro India (P) Ltd.

A-40, Sector - 83, Noida
Tel. : +91-120 - 4753000-08, Fax : +91-120 - 4753022
e-mail : info@ferretterro.com